

A complete line of disc harrows for gardens, food plots, specialty crops, nurseries, small acreage farms

WOODSDHM80



WOODS Disc Harrows

There's nothing like the smell of fresh-turned dirt, especially when you're doing what you love... working the land.

Whether you're breaking new ground for a garden, or tilling an existing nursery, food plot, vineyard or farm, Woods has the right – the best – disc harrow for your land. You will get years of productive, reliable, dirt-turning work.

Built with high-strength U.S. steel, these rugged disc harrows carry Woods' reputation for durability and reliability. Plus, these new discs are easy to use due to innovative design features like individually adjustable disc gangs that reposition with a single pin.

Woods' Advantage

- Made in America from U.S. steel
- Individual disc gangs adjust easily with one pin
- Rugged, high-strength steel frame and gangs mean years of worry-free performance
- Independent disc gangs angle from 0 to 21 degrees to match your soil type and tilling job
- Heavy down force makes each blade dig deeper, work harder in one pass

Standard-Duty

Models

DHS48 48-inch DHS64 64-inch DHS80 80-inch

Options:

 Mud scrapers that prevent clogging, increase productivity

Furrow fillers (DHS64, DHS80)

Tapered frame design balances individual disc gangs for easy adjustments

Specifications	DHS48	DHS64	DHS80	DHM80	DHM96	DHH108T	DHH126T	DHH144T
Tractor Engine HP	up to 35 hp	25-45 hp	35-55 hp	45-75 hp	55-85 hp	50-75 hp	60-100 hp	70-110 hp
Tractor Hitch	Cat 1, Lim. Cat 1, Cat 0 optional	Cat 1		Cat 1 and 2		Pull-type, 1.25" pin		
Width	48"	64"	80"	80"	96"	108"	126"	144"
Average Weight (depending upon blade type)	390 lbs	508 lbs	590 lbs	845 lbs	960 lbs	2,525 lbs	2,690 lbs	2,860 lbs
Disc Blade Type	notched	notched; or combination smooth and notched				notched; smooth; or combination		
Average Weight per Blade	33 lbs	36 lbs	33 lbs	47 lbs	44 lbs	105 lbs	96 lbs	90 lbs
Disc Diameter / Quantity	16" / 12	18" / 14	18" / 18	20" / 18	20" / 22	20" or 22" / 24	20" or 22" / 28	20" or 22" / 32
Disc Spacing	7.5" front and rear	ear 9" front, 7.5" rear			9" front and rear			
Gang Axle Diameter	1" square			1 1/8" square				
Frame Construction	3" x 3" tube and angle		3" x 3" tube and channel	3" x 3" tube		4" x 3" tube		
Quick-Hitch Compatible	Yes				N/A			
	Standard-duty			Medium-duty		Heavy-duty		

Medium-Duty

Models

DHM80 80-inch DHM96 96-inch

Options:

- Furrow fillers to reduce end ridges
- Rear drawbar for towing equipment
- Mud scrapers that prevent clogging, increase productivity

Heavy-Duty

Models DHH108T 108-inch DHH126T 126-inch DHH144T 144-inch

Additional features and options:

- Advanced offset/tandem blade gangs leave an even finish across entire width – no center ridge
- Extended tongue design allows tight turns without hitting tractor tires
- Simple ratchet jack levels unit from front to back
- Optional rear drawbar for towing equipment
- Optional mud scrapers and furrow fillers to increase productivity





WOODS' TOP TILLING TIPS

- Notched blades bite into the ground; smooth blades leave a finer finish
- Individual disc gangs easily adjust to match your job: Sharper angles work the dirt more aggressively
- Optional adjustable mud scrapers continuously clear debris, prevent clogging
- Optional furrow fillers reduce end ridges for a more even, tilled finish across entire width, in one pass



Heavy-duty Disc Harrow Video See our heavy-duty model in action! If you don't have a SmartPhone you can still see the video on the "Woods Equipment Company" YouTube channel or woodsequipment.com.

WOODS® 1 A Blount International Brand 2606 South Illinois Route 2, Oregon, Illinois 61061 tel 800-319-6637 woodsequipment.com



Warning! Some images may show safety shields removed to provide a better view. Equipment should never be operated with any safety shield removed. Some machines in this brochure may be shown with optional equipment. Always operate machines in accordance with supplied operator's manuals. ©2014 Woods Equipment Company. All rights reserved. WOODS and Woods logo are trademarks of Woods Equipment Company. All rights reserved, woods and Woods logo are trademarks of Woods Equipment Company. All rights reserved are the property of their respective companies or mark holders. Specifications subject to change without notice.

DHS65 shown with optional mudscrapers and furrow fillers